

LAMPADINE

BULBS - LAMPEN - AMPOULES

APRILE 2015

The logo for Perenti, featuring the brand name in a stylized, cursive script. A registered trademark symbol (®) is located at the top right of the logo.

I L L U M I N A

dal 1962



**INDICE
DEGLI ARTICOLI**

LAMPADINE LED Led Bulbs - Led Lampe - Ampoules Led	4
LAMPADINE A FILAMENTO LED Bulbs Filament Led - Gluhlampe mit Filament Led-Technik Ampoules à Filament Led	10
LAMPADINE ALOGENE Halogen Bulbs - Halogenlamp - Ampoules Halogene	12
LAMPADINE A FLUORESCENZA Fluorescent Bulbs - Leuchtstofflampe Ampoules a Florescence	14
ACCESSORI Accessories - Zubehör - Accessoires	18

lampadine
LED
led bulbs led lampe ampoules led



GU10-6,5W LED SMD

Dimensioni - Dimensions - Durchmesser
 Ø 5x5,7 cm.
 230V - A+ Energy class rating.



GU10-6,5W LED SMD LN

Dimensioni - Dimensions - Durchmesser
 Ø 5x5,7 cm.
 230V - A+ Energy class rating.



GU10-7W COB LC36°

Dimensioni - Dimensions - Durchmesser
 Ø 5x5,7 cm.
 230V - A+ Energy class rating.



GU10-7W COB LN36°

Dimensioni - Dimensions - Durchmesser
 Ø 5x5,7 cm.
 230V - A+ Energy class rating.



GU10-7W COB LC60°

Dimensioni - Dimensions - Durchmesser
 Ø 5x5,7 cm.
 230V - A+ Energy class rating.



GU10-7W COB LN60°

Dimensioni - Dimensions - Durchmesser
 Ø 5x5,7 cm.
 230V - A+ Energy class rating.



C35-5W LED SMD

Dimensioni - Dimensions - Durchmesser
 Ø 3,5x10,4 cm.
 230V - A+ Energy class rating.



C35-5W LED SMD LN

Dimensioni - Dimensions - Durchmesser
 Ø 3,5x10,4 cm.
 230V - A+ Energy class rating.



P45-5W LED SMD

Dimensioni - Dimensions - Durchmesser
 Ø 4,5x8,8 cm.
 230V - A+ Energy class rating.



P45-5W LED SMD LN

Dimensioni - Dimensions - Durchmesser
 Ø 4,5x8,8 cm.
 230V - A+ Energy class rating.



G45-5W LED SMD

Dimensioni - Dimensions - Durchmesser
 Ø 4,5x8,7 cm.
 230V - A+ Energy class rating.



G45-5W LED SMD LN

Dimensioni - Dimensions - Durchmesser
 Ø 4,5x8,7 cm.
 230V - A+ Energy class rating.



A60-8W LED SMD

Dimensioni - Dimensions - Durchmesser
 Ø 6x11 cm.
 230V - A+ Energy class rating.



A60-8W LED SMD LN

Dimensioni - Dimensions - Durchmesser
 Ø 6x11 cm.
 230V - A+ Energy class rating.



A60-11W LED SMD

Dimensioni - Dimensions - Durchmesser
 Ø 6x11 cm.
 230V - A+ Energy class rating.



A60-11W LED SMD LN

Dimensioni - Dimensions - Durchmesser
 Ø 6x11 cm.
 230V - A+ Energy class rating.





G95-15W LED SMD LC

Dimensioni - Dimensions - Durchmesser
 Ø 9,5x12,5 cm.
 230V - A+ Energy class rating.



G95-15W LED SMD LN

Dimensioni - Dimensions - Durchmesser
 Ø 9,5x12,5 cm.
 230V - A+ Energy class rating.



G125-20W LED SMD LC

Dimensioni - Dimensions - Durchmesser
 Ø 12,5x15,6 cm.
 230V - A+ Energy class rating.



G125-20W LED SMD LN

Dimensioni - Dimensions - Durchmesser
 Ø 12,5x15,6 cm.
 230V - A+ Energy class rating.



G4-1,5W LED SMD

Dimensioni - Dimensions - Durchmesser
 Ø 0,9x3,5 cm.
 12V - A+ Energy class rating.



G4-1,5W LED SMD LN

Dimensioni - Dimensions - Durchmesser
 Ø 0,9x3,5 cm.
 12V - A+ Energy class rating.



G9-2,6 W LED SMD

Dimensioni - Dimensions - Durchmesser
 Ø 2,7x6,2 cm.
 230V - A+ Energy class rating.



G9-2,6 W LED SMD LN

Dimensioni - Dimensions - Durchmesser
 Ø 2,7x6,2 cm.
 230V - A+ Energy class rating.



G9-3.5W LED

Dimensioni - Dimensions - Durchmesser
 Ø 1,8x4,8 cm.
 230V - A+ Energy class rating.



G9-3.5W LED LN

Dimensioni - Dimensions - Durchmesser
 Ø 1,8x4,8 cm.
 230V - A+ Energy class rating.



G9-3W LED SMD

Dimensioni - Dimensions - Durchmesser
 Ø 1,5x5 cm.
 230V - A+ Energy class rating.



G9-3W LED SMD LN

Dimensioni - Dimensions - Durchmesser
 Ø 1,5x5 cm.
 230V - A+ Energy class rating.



lampadine
LED
led bulbs led lampe ampoules led



MR16-1LED
 Dimensioni - Dimensions - Durchmesser
 Ø 4,9x4,5 cm.
 12V - A+ Energy class rating.



MR16-20LED
 Dimensioni - Dimensions - Durchmesser
 Ø 5x4,8 cm.
 12V - A+ Energy class rating.



Gx53-50 LED
 Dimensioni - Dimensions - Durchmesser
 Ø 7,5x2,6 cm.
 230V - A+ Energy class rating.



lampadine
FILAMENTO LED
*bulbs filament led ampoules à filament led
 glühlampe mit filament led-technik*

G45-4W LED FV
 Dimensioni - Dimensions - Durchmesser
 Ø 4,5x7,2 cm.
 230V - A+ Energy class rating.



C37-4W LED FL
 Dimensioni - Dimensions - Durchmesser
 Ø 3,5x10 cm.
 230V - A+ Energy class rating.



A60-6W LED FL
 Dimensioni - Dimensions - Durchmesser
 Ø 6x11 cm.
 230V - A+ Energy class rating.



A60-8W LED FL
 Dimensioni - Dimensions - Durchmesser
 Ø 6x11 cm.
 230V - A+ Energy class rating.



C37-4W LED FV
 Dimensioni - Dimensions - Durchmesser
 Ø 3,5x11,5 cm.
 230V - A+ Energy class rating.



G125-6W LED FL TR
 Dimensioni - Dimensions - Durchmesser
 Ø 12,5x17,5 cm.
 230V - A+ Energy class rating.



P45-4W LED FL
 Dimensioni - Dimensions - Durchmesser
 Ø 4,4x7,6 cm.
 230V - A+ Energy class rating.



G125-6W LED FL AM
 Dimensioni - Dimensions - Durchmesser
 Ø 12,5x17,5 cm.
 230V - A+ Energy class rating.



lampadine
ALOGENE ampoules halogene
halogen bulbs halogenlamp



GU10-35W

Dimensioni - Dimensions - Durchmesser
 Ø 5x5,3 cm.
 230V - C Energy class rating.



GU10-50W

Dimensioni - Dimensions - Durchmesser
 Ø 5x5,3 cm.
 230V - C Energy class rating.



GU10-75W

Dimensioni - Dimensions - Durchmesser
 Ø 5x5,3 cm.
 230V - C Energy class rating.



MR11-20W

Dimensioni - Dimensions - Durchmesser
 Ø 3,5x3,3 cm.
 12V - C Energy class rating.



MR11-35W

Dimensioni - Dimensions - Durchmesser
 Ø 3,5x3,3 cm.
 12V - C Energy class rating.



G9-20W

Dimensioni - Dimensions - Durchmesser
 Ø 1,2x4 cm.
 230V - C Energy class rating.



G9-33W

Dimensioni - Dimensions - Durchmesser
 Ø 1,2x4 cm.
 230V - C Energy class rating.




G9-42W

Dimensioni - Dimensions - Durchmesser
 Ø 1,2x4 cm.
 230V - C Energy class rating.



Gy6.35-50W

Dimensioni - Dimensions - Durchmesser
 Ø 1x3,8 cm.
 12V - C Energy class rating.



G4-10W

Dimensioni - Dimensions - Durchmesser
 Ø 0,8x3 cm.
 12V - C Energy class rating.



G4-20W

Dimensioni - Dimensions - Durchmesser
 Ø 0,8x3 cm.
 12V - C Energy class rating.



R7s-80WC

Dimensioni - Dimensions - Durchmesser
 7,8 cm. (corta)
 230V - C Energy class rating.



R7s-120WC

Dimensioni - Dimensions - Durchmesser
 7,8 cm. (corta)
 230V - C Energy class rating.



R7s-120WL

Dimensioni - Dimensions - Durchmesser
 11,8 cm. (lunga)
 230V - C Energy class rating.



R7s-160WL

Dimensioni - Dimensions - Durchmesser
 11,8 cm. (lunga)
 230V - C Energy class rating.



R7s-230WL

Dimensioni - Dimensions - Durchmesser
 11,8 cm. (lunga)
 230V - C Energy class rating.



R7s-400WL

Dimensioni - Dimensions - Durchmesser
 11,8 cm. (lunga)
 230V - C Energy class rating.



lampadine
FLUORESCENZA
fluorescent bulbs ampoules à fluorescence
leuchtstofflampe



G9-7W LC (luce calda)
 Dimensioni - Dimensions - Durchmesser
 Ø 3,6x7 cm.
 230V - A+ Energy class rating.



G9-7W LF (luce fredda)
 Dimensioni - Dimensions - Durchmesser
 Ø 3,6x7 cm.
 230V - A+ Energy class rating.



G9-9W LF (luce fredda)
 Dimensioni - Dimensions - Durchmesser
 Ø 3,6x7 cm.
 230V - A+ Energy class rating.



GU10-7W LF
 Dimensioni - Dimensions - Durchmesser
 Ø 5x5,8 cm.
 230V - A+ Energy class rating.



Gx53-9W LC (luce calda)
 Dimensioni - Dimensions - Durchmesser
 Ø 7,4x2,6 cm.
 230V - A+ Energy class rating.



Gx53-9W LF (luce fredda)
 Dimensioni - Dimensions - Durchmesser
 Ø 7,4x2,6 cm.
 230V - A+ Energy class rating.



GU10-9W LC (luce calda)
 Dimensioni - Dimensions - Durchmesser
 Ø 5x7,5 cm.
 230V - A+ Energy class rating.



GU10-9W LF (luce fredda)
 Dimensioni - Dimensions - Durchmesser
 Ø 5x7,5 cm.
 230V - A+ Energy class rating.



GU10-11W LC (luce calda)
 Dimensioni - Dimensions - Durchmesser
 Ø 5x7,5 cm.
 230V - A+ Energy class rating.



GU10-11W LF (luce fredda)
 Dimensioni - Dimensions - Durchmesser
 Ø 5x7,5 cm.
 230V - A+ Energy class rating.



Gx53-13W LC (luce calda)
 Dimensioni - Dimensions - Durchmesser
 Ø 7,4x2,6 cm.
 230V - A+ Energy class rating.



Gx53-13W LF (luce fredda)
 Dimensioni - Dimensions - Durchmesser
 Ø 7,4x2,6 cm.
 230V - A+ Energy class rating.



MR16-5W
 Dimensioni - Dimensions - Durchmesser
 Ø 5x5,8 cm.
 12V - A+ Energy class rating.



R7s-9W
 Dimensioni - Dimensions - Durchmesser
 Ø 7,8x5 cm.
 230V - A+ Energy class rating.



lampadine
FLUORESCENZA
fluorescent bulbs ampoules à fluorescence
leuchtstofflampe



TF-8W

Dimensioni - Dimensions - Durchmesser
 Ø 1,5x28,5 cm.
 230V - A+ Energy class rating.



TF-24W

Dimensioni - Dimensions - Durchmesser
 Ø 1,6x56 cm.
 230V - A+ Energy class rating.



TF-13W

Dimensioni - Dimensions - Durchmesser
 Ø 1,5x51,5 cm.
 230V - A+ Energy class rating.



TF-10W

Dimensioni - Dimensions - Durchmesser
 Ø 2,6x33 cm.
 230V - A+ Energy class rating.



TF-18W

Dimensioni - Dimensions - Durchmesser
 Ø 2,6x59 cm.
 230V - A+ Energy class rating.



TF-30W

Dimensioni - Dimensions - Durchmesser
 Ø 2,6x89,5 cm.
 230V - A+ Energy class rating.



C12W-T5

Dimensioni - Dimensions - Durchmesser
 Ø 13,5 cm.
 230V - A+ Energy class rating.



C40W-T5

Dimensioni - Dimensions - Durchmesser
 Ø 29 cm.
 230V - A+ Energy class rating.




C22W-T5

Dimensioni - Dimensions - Durchmesser
 Ø 18,5 cm.
 230V - A+ Energy class rating.



C22W-T9

Dimensioni - Dimensions - Durchmesser
 Ø 21 cm.
 230V - A+ Energy class rating.



C28W-T5

Dimensioni - Dimensions - Durchmesser
 Ø 22 cm.
 230V - A+ Energy class rating.



C32W-T5

Dimensioni - Dimensions - Durchmesser
 Ø 24 cm.
 230V - A+ Energy class rating.



C55W-T5

Dimensioni - Dimensions - Durchmesser
 Ø 37 cm.
 230V - A+ Energy class rating.



lampadine
ACCESSORI
*bulbs accessories.. accessoires ampoules
zubehör lampen*



6238 AR

Sospensione in Gomma Colore Arancione.
Rubber Hanging Lamp Colour Orange.
Suspension en Caoutchouc Couleur Orange.
Gummi-Hängeleuchte Farbe Orange.



6238 B

Sospensione in Gomma Colore Bianco.
Rubber Hanging Lamp Colour White.
Suspension en Caoutchouc Couleur Blanche.
Gummi-Hängeleuchte Farbe Weiss.



6238 G

Sospensione in Gomma Colore Giallo.
Rubber Hanging Lamp Colour Yellow.
Suspension en Caoutchouc Couleur Jaune.
Gummi-Hängeleuchte Farbe Gelb.



6238 VE

Sospensione in Gomma Colore Verde.
Rubber Hanging Lamp Colour Green.
Suspension en Caoutchouc Couleur Verte.
Gummi-Hängeleuchte Farbe Grün.



6238 VI

Sospensione in Gomma Colore Viola.
Rubber Hanging Lamp Colour Purple.
Suspension en Caoutchouc Couleur Violette.
Gummi-Hängeleuchte Farbe Violett.



PERENZ srl

Via Feltrina, 4
32038 Quero Vas - Belluno - Italy
Tel. office +39 0439 787026 r.a.
Tel. showroom +39 0439 788444
Fax +39 0439 787125
Email perenz@perenz.it

Perenz.it

Materiale pubblicitario non soggetto a cessione.

La società Perenz srl si riserva la facoltà di modificare, in qualsiasi momento e senza preavviso, le caratteristiche tecniche dei modelli illustrati nel presente catalogo. I colori si intendono indicativi.

Tutti i nostri prodotti sono realizzati secondo le vigenti normative europee e certificati CE.

Vietato l'utilizzo e la vendita dei nostri prodotti on-line senza autorizzazione. Vietata la riproduzione totale o parziale del presente catalogo.

The advertising material cannot be sold.

The company Perenz Inc. reserves the right to change, at any time and without notice, the product specifications shown in this catalog. The colors are approximate.

All our products are manufactured in accordance with current European standards and CE certificates.

The use and online sale of our products without permission is prohibited. The total or partial reproduction of this catalog is prohibited.